

IRRIGATION LEGEND

- PRODUCT DESCRIPTION**
- HUNTER I-35-06-SS-B-XX, NOZZLE AS SHOWN
 - HUNTER I-35-06-SS-B-XX, NOZZLE AS SHOWN
- NOZZLE PERFORMANCE:**
#12 @ 4.0 Bars - 45.7 l/min 16.2m RADIUS
- ⊕ HUNTER ICV/IBV ELECTRIC CONTROL VALVE SIZE AS SHOWN
 - ⊙ HUNTER HQ-44-XX-AW QUICK COUPLER VALVE (OPTIONAL)
 - ⚙ HUNTER IC-600-M SOLID STATE METAL CABINET CONTROLLER
 - ☀ HUNTER SOLAR-SYNC-SEN ON SITE WEATHER SENSOR
 - Ⓜ HUNTER METER MINIMUM SIZE @ 91 l/min IS 32mm
 - Ⓛ WATER FLOW PREVENTER SIZED TO SYSTEM l/min
 - — — — — MAINLINE PIPE
 - — — — — LATERAL PIPE
 - ≡ ≡ ≡ ≡ ≡ SLEEVING
 - ⊗ ISOLATION VALVE LINE SIZED
 - Ⓜ HFS HUNTER FLOW SENSOR IN LINE SIZED FLOW CLIK TEE "FCT"

IRRIGATION NOTES

1. SPRINKLER LOCATIONS ARE TO SCALE
2. PIPE LOCATIONS ARE DIAGRAMMATIC
3. ALL SPRINKLERS TO BE INSTALLED ON 32mm SCH 80 SWING JOINTS
4. ALL COMPONENTS TO BE INSTALLED AS PER MANUFACTURERS RECOMMENDATIONS
5. MAINLINE DEPTH TO BE NO LESS THAN 460mm
6. LATERAL DEPTH TO BE NO LESS THAN 410mm
7. ELECTRIC CONTROL VALVES TO BE COVERED WITH 12" VALVE BOX
8. LOCATE VALVES/QCV'S OUT OF HIGH TRAFFIC AREAS
9. WIRE SPLICE CONNECTIONS TO BE WATERPROOF
10. QCV TO BE LOCATED IN 10" VALVE BOX
11. ALL SLEEVES TO BE 2X PIPE RUN THROUGH THEM
12. INSTALL ALL COMPONENTS AS PER LOCAL, STATE, FEDERAL CODES
13. REFER TO HUNTER INSTALLATION DETAILS
14. REFER TO HUNTER CATALOG FOR PERFORMANCE SPECIFICATIONS
15. ADD HUNTER "FS" FOR DIRTY WATER VALVE
16. ADD HUNTER "AS" FOR PRESSURE REGULATED VALVE

WATER REQUIREMENT


WATER REQUIREMENT AT	ZONE SIZE	FLOW	PR	DU	SC
		m ³ /hr	l/min	mm/hr	mm
FIELD ELEVATION	A1 1.5"	5.4	91	36.9	.83
-WITHIN 30m OF FIELD	A2 1.5"	5.4	91	36.9	.83
-DOWNSTREAM OF BACKFLOW	A3 1.5"	5.4	91	18.4	.83
IS 91 l/min @ 4.54 Bars	A4 1.5"	5.4	91	18.4	.83
	A5 1.5"	2.7	46	9.2	.83
					1.2

SYSTEM PERFORMANCE DATA

ZONE SIZE	FLOW	PR	DU	SC
	m ³ /hr	l/min	mm/hr	mm
A1 1.5"	5.4	91	36.9	.83
A2 1.5"	5.4	91	36.9	.83
A3 1.5"	5.4	91	18.4	.83
A4 1.5"	5.4	91	18.4	.83
A5 1.5"	2.7	46	9.2	.83
				1.2

VALVE ID GUIDE

STATION NUMBER	VALVE SIZE	PRECIPITATION RATE mm/hr
A1	1.5"	19.0
273	1.5"	



Station	Valve Size	Precipitation Rate
A4	1.5"	36.9
A5	1.5"	9.2
A1	1.5"	36.9

